MODIFIED ESTIMATE

Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
Ch 60.00m to Ch 75.00m		1	15.00			4.75		71.25		
Ch 75.00m to Ch 90.00m		1	15.00			5.10		76.50		
Ch 90.00m to Ch 105.00m		1	15.00			5.20		78.00		
Ch 105.00m to Ch 120.00m		1	15.00			4.55		68.25		
Ch 120.00m to Ch 135.00m		1	15.00			3.80		57.00		
Ch 135.00m to Ch 150.00m		1	15.00			4.30		64.50		
Ch 150.00m to Ch 165.00m		1	15.00			4.60		69.00		
Ch 165.00m to Ch 180.00m		1	15.00			4.80		72.00		
Ch 180.00m to Ch 195.00m		1	15.00			5.30		79.50		
Ch 195.00m to Ch 213.30m		1	18.30			5.30		96.99		
Ch 00.00m to Ch 15.00m **(Gupta layout tar factory road) (W1827)**		1	15.00			4.80		72.00		
Ch 15.00m to Ch 30.00m		1	15.00			5.00		75.00		
Ch 30.00m to Ch 45.00m		1	15.00			6.05		90.75		
Ch 45.00m to Ch 60.00m		1	15.00			6.30		94.50		
Ch 60.00m to Ch 75.00m		1	15.00			5.50		82.50		
Ch 75.00m to Ch 90.00m		1	15.00			5.50		82.50		
Ch 90.00m to Ch 105.00m		1	15.00			5.00		75.00		
Ch 105.00m to Ch 120.00m		1	15.00			4.80		72.00		
Ch 120.00m to Ch 135.00m		1	15.00			6.05		90.75		
Ch 135.00m to Ch 150.00m		1	15.00			6.20		93.00		
Ch 150.00m to Ch 165.00m		1	15.00			5.90		88.50		
Ch 165.00m to Ch 180.00m		1	15.00			5.80		87.00		
Ch 180.00m to Ch 195.00m		1	15.00			5.55		83.25		
Ch 195.00m to Ch 210.00m		1	15.00			5.15		77.25		
Ch 210.00m to Ch 225.20m		1	15.20			4.70		71.44		
Ch 00.00m to Ch 15.00m **(2nd main road RHS) (W1773)**		1	15.00			4.05		60.75		
Ch 15.00m to Ch 30.00m		1	15.00			3.90		58.50		
Ch 30.00m to Ch 45.00m		1	15.00			3.35		50.25		
Ch 45.00m to Ch 60.00m		1	15.00			3.45		51.75		
Ch 60.00m to Ch 68.10m		1	8.10			4.35		35.24		
Ch 00.00m to Ch 5.80m (Approach)		1	5.80			4.50		26.10		
Ch 00.00m to Ch 15.00m		1	15.00			4.70		70.50		
Ch 15.00m to Ch 30.00m		1	15.00			4.70		70.50		
Ch 30.00m to Ch 45.00m		1	15.00			4.20		63.00		
Ch 45.00m to Ch 60.00m		1	15.00			4.60		69.00		
Ch 60.00m to Ch 80.50m		1	20.50			5.05		103.53		
Ch 00.00m to Ch 15.00m **(2nd main road LHS) (W1771)**		1	15.00			6.30		94.50		
Ch 15.00m to Ch 30.00m		1	15.00			6.40		96.00		
Ch 30.00m to Ch 45.00m		1	15.00			6.20		93.00		
Ch 45.00m to Ch 51.30m		1	6.30			6.30		39.69		
Thanisandra Mn road LHS										
Ch 00.00m to Ch 15.00m **(Balon factory road) (W0992)**		1	15.00			5.55		83.25		
Ch 15.00m to Ch 30.00m		1	15.00			5.65		84.75		
Ch 30.00m to Ch 45.00m		1	15.00			5.95		89.25		
Ch 45.00m to Ch 60.00m		1	15.00			5.90		88.50		
Ch 60.00m to Ch 75.00m		1	15.00			5.75		86.25		
Ch 75.00m to Ch 90.00m		1	15.00			5.65		84.75		
Ch 90.00m to Ch 105.00m		1	15.00			5.45		81.75		
Ch 105.00m to Ch 120.00m		1	15.00			5.25		78.75		
Ch 120.00m to Ch 135.00m		1	15.00			5.15		77.25		
Ch 135.00m to Ch 150.00m		1	15.00			5.35		80.25		
Ch 150.00m to Ch 165.00m		1	15.00			5.30		79.50		
Ch 165.00m to Ch 180.00m		1	15.00			4.85		72.75		
Ch 180.00m to Ch 195.00m		1	15.00			4.80		72.00		
Ch 195.00m to Ch 210.00m		1	15.00			5.10		76.50		
Ch 210.00m to Ch 225.00m		1	15.00			5.40		81.00		
Ch 225.00m to Ch 240.00m		1	15.00			6.10		91.50		
Ch 240.00m to Ch 255.00m		1	15.00			6.90		103.50		
Ch 255.00m to Ch 270.00m		1	15.00			7.75		116.25		
Ch 270.00m to Ch 285.00m		1	15.00			8.65		129.75		
Ch 285.00m to Ch 300.00m		1	15.00			7.85		117.75		
Ch 300.00m to Ch 315.00m		1	15.00			6.55		98.25		
Ch 315.00m to Ch 330.00m		1	15.00			6.80		102.00		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

o	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 330.00m to Ch 345.00m		1	15.00			6.35		95.25		
	Ch 345.00m to Ch 360.00m		1	15.00			5.65		84.75		
	Ch 360.00m to Ch 375.00m		1	15.00			6.40		96.00		
	Ch 375.00m to Ch 390.00m		1	15.00			6.85		102.75		
	Ch 390.00m to Ch 405.00m		1	15.00			6.80		102.00		
	Ch 405.00m to Ch 420.00m		1	15.00			6.35		95.25		
	Ch 420.00m to Ch 435.00m		1	15.00			6.15		92.25		
	Ch 435.00m to Ch 448.40m		1	13.40			7.05		94.47		
	Dasarahalli										
	Maruthi layout										
	Ch 00.00m to Ch 15.00m **(12th cross (RHS)) (W0495)**		1	15.00			6.40		96.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.30		94.50		
	Ch 30.00m to Ch 45.00m		1	15.00			6.40		96.00		
	Ch 45.00m to Ch 60.00m		1	15.00			6.60		99.00		
	Ch 60.00m to Ch 75.00m		1	15.00			6.65		99.75		
	Ch 75.00m to Ch 90.00m		1	15.00			6.60		99.00		
	Ch 90.00m to Ch 105.00m		1	15.00			6.55		98.25		
	Ch 105.00m to Ch 120.00m		1	15.00			6.10		91.50		
	Ch 120.00m to Ch 135.00m		1	15.00			6.10		91.50		
	Ch 135.00m to Ch 150.00m		1	15.00			6.10		91.50		
	Ch 150.00m to Ch 165.00m		1	15.00			5.80		87.00		
	Ch 165.00m to Ch 180.00m		1	15.00			5.55		83.25		
	Ch 180.00m to Ch 195.00m		1	15.00			5.45		81.75		
	Ch 195.00m to Ch 210.00m		1	15.00			5.60		84.00		
	Ch 210.00m to Ch 225.00m		1	15.00			5.75		86.25		
	Ch 225.00m to Ch 240.00m		1	15.00			5.90		88.50		
	Ch 240.00m to Ch 255.00m		1	15.00			5.55		83.25		
	Ch 255.00m to Ch 270.00m		1	15.00			7.00		105.00		
	Ch 270.00m to Ch 285.00m		1	15.00			6.70		100.50		
	Ch 285.00m to Ch 300.00m		1	15.00			6.50		97.50		
	Ch 300.00m to Ch 315.00m		1	15.00			6.15		92.25		
	Ch 315.00m to Ch 330.00m		1	15.00			5.40		81.00		
	Ch 330.00m to Ch 345.00m		1	15.00			5.70		85.50		
	Ch 345.00m to Ch 360.00m		1	15.00			6.20		93.00		
	Ch 360.00m to Ch 375.00m		1	15.00			6.25		93.75		
	Ch 375.00m to Ch 390.00m		1	15.00			6.15		92.25		
	Ch 390.00m to Ch 405.00m		1	15.00			6.25		93.75		
	Ch 405.00m to Ch 420.00m		1	15.00			6.70		100.50		
	Ch 420.00m to Ch 442.00m		1	22.00			6.45		141.90		
	Ch 00.00m to Ch 15.00m **(13th cross) (RHS) (W0491)**		1	15.00			5.50		82.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.70		85.50		
	Ch 30.00m to Ch 45.00m		1	15.00			5.65		84.75		
	Ch 45.00m to Ch 60.00m		1	15.00			5.75		86.25		
	Ch 60.00m to Ch 75.00m		1	15.00			5.60		84.00		
	Ch 75.00m to Ch 90.00m		1	15.00			5.30		79.50		
	Ch 90.00m to Ch 105.00m		1	15.00			5.35		80.25		
	Ch 105.00m to Ch 120.00m		1	15.00			5.60		84.00		
	Ch 120.00m to Ch 135.00m		1	15.00			5.90		88.50		
	Ch 135.00m to Ch 150.00m		1	15.00			6.20		93.00		
	Ch 150.00m to Ch 165.00m		1	15.00			6.00		90.00		
	Ch 165.00m to Ch 180.00m		1	15.00			5.55		83.25		
	Ch 180.00m to Ch 195.00m		1	15.00			5.35		80.25		
	Ch 195.00m to Ch 210.00m		1	15.00			5.25		78.75		
	Ch 210.00m to Ch 225.00m		1	15.00			5.20		78.00		
	Ch 225.00m to Ch 240.00m		1	15.00			5.25		78.75		
	Ch 240.00m to Ch 255.00m		1	15.00			5.40		81.00		
	Ch 255.00m to Ch 268.80m		1	13.80			5.40		74.52		
	Ch 00.00m to Ch 15.00m **(3rd cross) (LHS) (W0563)**		1	15.00			4.95		74.25		
	Ch 15.00m to Ch 30.00m		1	15.00			4.95		74.25		
	Ch 30.00m to Ch 45.00m		1	15.00			5.15		77.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.40		81.00		
	Ch 60.00m to Ch 75.00m		1	15.00			5.10		76.50		
	Ch 75.00m to Ch 90.00m		1	15.00			4.80		72.00		
	Ch 90.00m to Ch 105.00m		1	15.00			5.20		78.00		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

Description of Item	Unit	No	Length	Breadth			Depth	Quantity	Rate in	Amount in
			(m)	B1	B2	Avg B	(m)		RS.	RS.
Ch 105.00m to Ch 120.00m		1	15.00			5.65		84.75		
Ch 120.00m to Ch 135.00m		1	15.00			5.95		89.25		
Ch 135.00m to Ch 150.00m		1	15.00			6.10		91.50		
Ch 150.00m to Ch 165.00m		1	15.00			6.15		92.25		
Ch 165.00m to Ch 180.00m		1	15.00			6.10		91.50		
Ch 180.00m to Ch 195.00m		1	15.00			6.40		96.00		
Ch 195.00m to Ch 210.00m		1	15.00			6.30		94.50		
Ch 210.00m to Ch 225.00m		1	15.00			6.20		93.00		
Ch 225.00m to Ch 237.40m		1	12.40			6.05		75.02		
Ch 00.00m to Ch 15.00m **(7th A cross road) (W0531)**		1	15.00			4.45		66.75		
Ch 15.00m to Ch 30.00m		1	15.00			4.35		65.25		
Ch 30.00m to Ch 45.00m		1	15.00			4.40		66.00		
Ch 45.00m to Ch 60.00m		1	15.00			4.60		69.00		
Ch 60.00m to Ch 75.00m		1	15.00			4.60		69.00		
Ch 75.00m to Ch 90.00m		1	15.00			4.45		66.75		
Ch 90.00m to Ch 105.00m		1	15.00			4.45		66.75		
Ch 105.00m to Ch 120.00m		1	15.00			4.45		66.75		
Ch 120.00m to Ch 135.00m		1	15.00			4.30		64.50		
Ch 135.00m to Ch 150.00m		1	15.00			4.25		63.75		
Ch 150.00m to Ch 165.00m		1	15.00			4.25		63.75		
Ch 165.00m to Ch 180.00m		1	15.00			4.10		61.50		
Ch 180.00m to Ch 195.00m		1	15.00			5.05		75.75		
Ch 195.00m to Ch 210.00m		1	15.00			6.20		93.00		
Ch 210.00m to Ch 216.00m		1	6.00			6.35		38.10		
Main road RHS										
Ch 00.00m to Ch 15.00m **(4th cross road) (W0971)**		1	15.00			5.30		79.50		
Ch 15.00m to Ch 30.00m		1	15.00			6.00		90.00		
Ch 30.00m to Ch 45.00m		1	15.00			5.80		87.00		
Ch 45.00m to Ch 60.00m		1	15.00			5.70		85.50		
Ch 60.00m to Ch 75.00m		1	15.00			5.60		84.00		
Ch 75.00m to Ch 90.00m		1	15.00			5.10		76.50		
Ch 90.00m to Ch 105.00m		1	15.00			5.40		81.00		
Ch 105.00m to Ch 123.70m		1	18.70			5.00		93.50		
Ch 00.00m to Ch 15.00m **(5th cross road) (W0553)**		1	15.00			5.55		83.25		
Ch 15.00m to Ch 30.00m		1	15.00			5.15		77.25		
Ch 30.00m to Ch 45.00m		1	15.00			5.20		78.00		
Ch 45.00m to Ch 60.00m		1	15.00			5.15		77.25		
Ch 60.00m to Ch 75.00m		1	15.00			5.15		77.25		
Ch 75.00m to Ch 90.00m		1	15.00			5.15		77.25		
Ch 90.00m to Ch 105.00m		1	15.00			5.05		75.75		
Ch 105.00m to Ch 120.00m		1	15.00			5.35		80.25		
Ch 120.00m to Ch 135.00m		1	15.00			5.65		84.75		
Ch 135.00m to Ch 150.00m		1	15.00			5.55		83.25		
Ch 150.00m to Ch 165.00m		1	15.00			5.20		78.00		
Ch 165.00m to Ch 182.00m		1	17.00			5.05		85.85		
Ch 00.00m to Ch 15.00m **(6th cross road) (W0543)**		1	15.00			4.45		66.75		
Ch 15.00m to Ch 30.00m		1	15.00			4.25		63.75		
Ch 30.00m to Ch 45.00m		1	15.00			4.65		69.75		
Ch 45.00m to Ch 60.00m		1	15.00			5.05		75.75		
Ch 60.00m to Ch 75.00m		1	15.00			4.95		74.25		
Ch 75.00m to Ch 90.00m		1	15.00			4.70		70.50		
Ch 90.00m to Ch 105.00m		1	15.00			4.95		74.25		
Ch 105.00m to Ch 120.50m		1	15.50			5.10		79.05		
Prakruthi layout										
Ch 00.00m to Ch 15.00m **(L-shape road) (W0483)**		1	15.00			5.45		81.75		
Ch 15.00m to Ch 30.00m		1	15.00			5.20		78.00		
Ch 30.00m to Ch 45.00m		1	15.00			5.45		81.75		
Ch 45.00m to Ch 60.00m		1	15.00			5.65		84.75		
Ch 60.00m to Ch 75.00m		1	15.00			5.85		87.75		
Ch 00.00m to Ch 15.00m		1	15.00			5.80		87.00		
Ch 15.00m to Ch 30.00m		1	15.00			4.95		74.25		
Ch 30.00m to Ch 45.00m		1	15.00			5.45		81.75		
Ch 45.00m to Ch 57.00m		1	12.00			4.95		59.40		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

e To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 00.00m to Ch 15.00m **(Main road) (W0485)**		1	15.00			6.80		102.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.40		96.00		
	Ch 30.00m to Ch 45.00m		1	15.00			6.20		93.00		
	Ch 45.00m to Ch 60.00m		1	15.00			6.10		91.50		
	Ch 60.00m to Ch 75.00m		1	15.00			5.90		88.50		
	Ch 75.00m to Ch 90.00m		1	15.00			6.10		91.50		
	Ch 90.00m to Ch 105.00m		1	15.00			6.30		94.50		
	Ch 105.00m to Ch 120.00m		1	15.00			5.70		85.50		
	Ch 120.00m to Ch 135.00m		1	15.00			4.90		73.50		
	Ch 135.00m to Ch 154.50m		1	19.50			5.40		105.30		
	Bhuvaneshwari nagara										
	Ch 00.00m to Ch 15.00m **(6th cross road Continue) (W0471)**		1	15.00			5.95		89.25		
	Ch 15.00m to Ch 30.00m		1	15.00			5.80		87.00		
	Ch 30.00m to Ch 45.00m		1	15.00			5.80		87.00		
	Ch 45.00m to Ch 60.00m		1	15.00			6.00		90.00		
	Ch 60.00m to Ch 75.00m		1	15.00			6.15		92.25		
	Ch 75.00m to Ch 90.00m		1	15.00			6.25		93.75		
	Ch 90.00m to Ch 105.00m		1	15.00			6.25		93.75		
	Ch 105.00m to Ch 120.00m		1	15.00			6.15		92.25		
	Ch 120.00m to Ch 135.00m		1	15.00			6.00		90.00		
	Ch 135.00m to Ch 150.00m		1	15.00			5.80		87.00		
	Ch 150.00m to Ch 165.00m		1	15.00			5.65		84.75		
	Ch 165.00m to Ch 180.00m		1	15.00			5.55		83.25		
	Ch 180.00m to Ch 195.00m		1	15.00			5.70		85.50		
	Ch 195.00m to Ch 210.00m		1	15.00			6.25		93.75		
	Ch 210.00m to Ch 225.00m		1	15.00			5.95		89.25		
	Ch 225.00m to Ch 240.00m		1	15.00			5.20		78.00		
	Ch 240.00m to Ch 258.50m		1	18.50			5.95		110.08		
	Ch 00.00m to Ch 15.00m **(9th cross road) (W0479)**		1	15.00			6.15		92.25		
	Ch 15.00m to Ch 30.00m		1	15.00			5.85		87.75		
	Ch 30.00m to Ch 45.00m		1	15.00			5.70		85.50		
	Ch 45.00m to Ch 60.00m		1	15.00			5.45		81.75		
	Ch 60.00m to Ch 75.00m		1	15.00			5.45		81.75		
	Ch 75.00m to Ch 90.00m		1	15.00			5.45		81.75		
	Ch 90.00m to Ch 105.00m		1	15.00			5.55		83.25		
	Ch 105.00m to Ch 120.00m		1	15.00			5.90		88.50		
	Ch 120.00m to Ch 135.00m		1	15.00			6.25		93.75		
	Ch 135.00m to Ch 150.00m		1	15.00			6.50		97.50		
	Ch 150.00m to Ch 165.00m		1	15.00			6.45		96.75		
	Ch 165.00m to Ch 180.00m		1	15.00			6.15		92.25		
	Ch 180.00m to Ch 195.00m		1	15.00			5.75		86.25		
	Ch 195.00m to Ch 210.00m		1	15.00			5.30		79.50		
	Ch 210.00m to Ch 225.00m		1	15.00			5.30		79.50		
	Ch 225.00m to Ch 240.00m		1	15.00			5.45		81.75		
	Ch 240.00m to Ch 255.00m		1	15.00			5.50		82.50		
	Ch 255.00m to Ch 263.00m		1	8.00			5.50		44.00		
	Ch 00.00m to Ch 15.00m **(7th cross road Continue) (W0475)**		1	15.00			2.60		39.00		
	Ch 15.00m to Ch 30.00m		1	15.00			2.60		39.00		
	Ch 30.00m to Ch 45.00m		1	15.00			2.60		39.00		
	Ch 45.00m to Ch 60.00m		1	15.00			2.80		42.00		
	Ch 60.00m to Ch 75.00m		1	15.00			2.80		42.00		
	Ch 75.00m to Ch 90.00m		1	15.00			2.80		42.00		
	Ch 90.00m to Ch 105.00m		1	15.00			2.80		42.00		
	Ch 105.00m to Ch 120.00m		1	15.00			2.80		42.00		
	Ch 120.00m to Ch 135.00m		1	15.00			2.80		42.00		
	Ch 135.00m to Ch 150.00m		1	15.00			3.00		45.00		
	Ch 150.00m to Ch 165.00m		1	15.00			4.80		72.00		
	Ch 165.00m to Ch 180.00m		1	15.00			4.80		72.00		
	Ch 180.00m to Ch 195.00m		1	15.00			2.80		42.00		
	Ch 195.00m to Ch 210.00m		1	15.00			2.60		39.00		
	Ch 210.00m to Ch 225.00m		1	15.00			2.80		42.00		
	Ch 225.00m to Ch 240.00m		1	15.00			5.50		100.10		
	Ch 240.00m to Ch 258.20m		1	18.20							

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE											
e To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Rachenahalli (P&T Layout cross roads)										
	Ch 00.00m to Ch 15.00m **(8th cross road)**		1	15.00			4.00		60.00		
	Ch 15.00m to Ch 30.00m		1	15.00			3.80		57.00		
	Ch 30.00m to Ch 45.00m		1	15.00			4.00		60.00		
	Ch 45.00m to Ch 60.00m		1	15.00			4.10		61.50		
	Ch 60.00m to Ch 75.00m		1	15.00			4.90		73.50		
	Ch 75.00m to Ch 90.00m		1	15.00			5.25		78.75		
	Ch 90.00m to Ch 105.00m		1	15.00			5.35		80.25		
	Ch 105.00m to Ch 120.00m		1	15.00			5.40		81.00		
	Ch 120.00m to Ch 140.00m		1	20.00			6.25		125.00		
	Ch 00.00m to Ch 15.00m **(7th cross road)**		1	15.00			5.15		77.25		
	Ch 15.00m to Ch 30.00m		1	15.00			5.95		89.25		
	Ch 30.00m to Ch 45.00m		1	15.00			6.15		92.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.90		88.50		
	Ch 60.00m to Ch 75.00m		1	15.00			5.75		86.25		
	Ch 75.00m to Ch 90.00m		1	15.00			6.15		92.25		
	Ch 90.00m to Ch 105.00m		1	15.00			5.15		77.25		
	Ch 105.00m to Ch 120.00m		1	15.00			5.75		86.25		
	Ch 120.00m to Ch 139.00m		1	19.00			5.80		110.20		
	Ch 00.00m to Ch 15.00m **(6th cross road)**		1	15.00			5.50		82.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.55		83.25		
	Ch 30.00m to Ch 45.00m		1	15.00			5.75		86.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.90		88.50		
	Ch 60.00m to Ch 75.00m		1	15.00			5.85		87.75		
	Ch 75.00m to Ch 90.00m		1	15.00			5.85		87.75		
	Ch 90.00m to Ch 105.00m		1	15.00			6.00		90.00		
	Ch 105.00m to Ch 120.00m		1	15.00			6.10		91.50		
	Ch 120.00m to Ch 137.00m		1	17.00			6.00		102.00		
	Ch 00.00m to Ch 15.00m **(5th cross road)**		1	15.00			5.90		88.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.80		87.00		
	Ch 30.00m to Ch 45.00m		1	15.00			5.70		85.50		
	Ch 45.00m to Ch 60.00m		1	15.00			5.90		88.50		
	Ch 60.00m to Ch 75.00m		1	15.00			6.10		91.50		
	Ch 75.00m to Ch 90.00m		1	15.00			6.00		90.00		
	Ch 90.00m to Ch 105.00m		1	15.00			6.20		93.00		
	Ch 105.00m to Ch 120.00m		1	15.00			6.10		91.50		
	Ch 120.00m to Ch 137.00m		1	17.00			6.45		109.65		
	Ch 00.00m to Ch 15.00m **(4th cross road)**		1	15.00			6.80		102.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.30		94.50		
	Ch 30.00m to Ch 45.00m		1	15.00			5.80		87.00		
	Ch 45.00m to Ch 60.00m		1	15.00			6.00		90.00		
	Ch 60.00m to Ch 75.00m		1	15.00			5.80		87.00		
	Ch 75.00m to Ch 90.00m		1	15.00			5.90		88.50		
	Ch 90.00m to Ch 105.00m		1	15.00			6.40		96.00		
	Ch 105.00m to Ch 120.00m		1	15.00			6.20		93.00		
	Ch 120.00m to Ch 134.00m		1	14.00			6.50		91.00		
	Dasarhalli										
	Ch 00.00m to Ch 15.00m **(2nd cross road RHS)**		1	15.00			5.50		82.50		
	Ch 15.00m to Ch 30.00m		1	15.00			4.30		64.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.00		60.00		
	Ch 45.00m to Ch 60.00m		1	15.00			4.30		64.50		
	Ch 60.00m to Ch 65.00m		1	5.00			4.40		22.00		
	petrol bunk opp side or main road RHS and LHS										
	Ch 00.00m to Ch 15.00m **(13th cross road)**		1	15.00			5.10		76.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.70		85.50		
	Ch 30.00m to Ch 40.00m		1	10.00			6.00		60.00		
	Ch 00.00m to Ch 15.00m **(12th cross road)**		1	15.00			5.90		88.50		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
o											
	Ch 15.00m to Ch 30.00m		1	15.00			6.60		99.00		
	Ch 30.00m to Ch 45.00m		1	15.00			6.80		102.00		
	Ch 45.00m to Ch 51.00m		1	6.00			8.50		51.00		
	Ch 00.00m to Ch 15.00m (**11th cross road**)		1	15.00			6.40		96.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.90		103.50		
	Ch 30.00m to Ch 45.00m		1	15.00			5.90		88.50		
	Ch 45.00m to Ch 60.00m		1	15.00			7.00		105.00		
	Ch 00.00m to Ch 15.00m (**10th cross road**)		1	15.00			6.00		90.00		
	Ch 15.00m to Ch 30.00m		1	15.00			6.20		93.00		
	Ch 30.00m to Ch 45.00m		1	15.00			4.50		67.50		
	Ch 45.00m to Ch 60.00m		1	15.00			4.30		64.50		
	Ch 60.00m to Ch 71.00m		1	11.00			4.20		46.20		
								Total Executed Quantity	**49184.42**	**30.00**	**1475533.00**
								Tender Quantity	**49195.20**		
11	Providing, laying, spreading and compacting Stone dust / Grit 4.75 mm to 0.075 mm specifications including pre mixing the material with water at OMC in mechanical mix plant carriage of mixed materials by tipper to site, laying in uniform layers. (P.No-II,Sl No-45)										
		Cum									
	Pipe line cut portion										
a)	Ch 0.00m to Ch 15.00m (**1st cross road LHS & RHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 102.70m		1	12.70			1.40	0.30	5.33		
b)	Ch 0.00m to Ch 15.00m (**2nd cross road LHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 68.40m		1	23.40			1.40	0.30	9.83		
c)	Ch 0.00m to Ch 15.00m (**2nd cross road RHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 40.20m		1	10.20			1.40	0.30	4.28		
d)	Ch 0.00m to Ch 15.00m (**3rd cross road LHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 72.60m		1	12.60			1.40	0.30	5.29		
e)	Ch 0.00m to Ch 15.00m (**3rd cross road RHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 37.00m		1	7.00			1.40	0.30	2.94		
f)	Ch 0.00m to Ch 15.00m (**4th cross road LHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 72.40m		1	12.40			1.40	0.30	5.21		
	Ch 0.00m to Ch 15.00m (**4th cross road RHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 29.20m		1	14.20			1.40	0.30	5.96		
	Ch 0.00m to Ch 15.00m (**5th cross roadLHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 67.20m		1	7.20			1.39	0.30	3.00		
	Ch 0.00m to Ch 15.00m (**5th cross road RHS**)		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 38.20m		1	23.20			1.40	0.30	9.74		
	Ch 0.00m to Ch 28.70m (**6th cross road LHS**)		1	15.00			1.40	0.30	6.30		

Scanned by TapScanner

Scanned by TapScanner

	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	MODIFIED ESTIMATE										
	Ch 0.00m to Ch 15.00m **(6th cross road RHS)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 36.00m		1	21.00			1.40	0.30	8.82		
	MAIN ROAD LEFT										
	Ch 0.00m to Ch 15.00m **(7th Cross road)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 55.20m		1	10.20			1.40	0.30	4.28		
)	Ch 0.00m to Ch 15.00m **(8th Cross road)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 68.20m		1	8.20			1.40	0.30	3.44		
)	Ch 0.00m to Ch 15.00m **(1st sub Cross road)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
)	Ch 0.00m to Ch 15.00m **(2nd sub Cross road)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 31.20m		1	16.20			1.40	0.30	6.80		
	RACHENAHALLI (BHAGYASHREE LAYOUT)										
)	Ch 0.00m to Ch 15.00m **(Tempel road) (W0317)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
	Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
	Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
	Ch 150.00m to Ch 169.60m		1	19.60			1.40	0.30	8.23		
)	Ch 00.00m to Ch 15.00m**(2nd Main road)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
	Ch 120.00m to Ch 128.20m		1	8.20			1.40	0.30	3.44		
	Approuch		1	7.60			1.40	0.30	3.19		
c)	Ch 0.00m to Ch 15.00m **(1st cross road RHS) (W0699)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 87.20m		1	27.20			1.40	0.30	11.42		
d)	Ch 0.00m to Ch 15.00m **(1st main road upto green pole) (W0460)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	17.40			1.40	0.30	7.31		
	Ch 120.00m to Ch 137.40m		1	15.00			1.40	0.30	6.30		
e)	Ch 00.00m to Ch 15.00m **(2nd cross road LHS) (W0669)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 114.40m		1	24.40			1.40	0.30	10.25		
	Ch 00.00m to Ch 15.00m**(1st cross road LHS) (W0685)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 115.40m		1	10.40			1.40	0.30	4.37		
	Ch 0.00m to Ch 15.00m **(4th cross road RHS) (W0669)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 78.90m		1	18.90			1.40	0.30	7.94		
	Ch 0.00m to Ch 15.00m **(3rd cross road RHS) (W0683)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 100.00m		1	10.00			1.40	0.30	4.20		
	Ch 00.00m to Ch 15.00m**(2nd cross road RHS) (W0691)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 108.80m		1	18.80			1.40	0.30	7.90		
	RAILWAY MEN LAYOUT										
	Ch 00.00m to Ch 15.00m**(1st main road) (W0188)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 110.00m		1	20.00			1.40	0.30	8.40		
)	Ch 0.00m to Ch 15.00m **(1st Sub Cross Rd)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 31.20m		1	16.20			1.40	0.30	6.80		
)	Ch 0.00m to Ch 15.00m **(2nd main road) (W0190)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
	Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
	Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
	Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
	Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
	Ch 180.00m to Ch 195.00m		1	15.00			1.40	0.30	6.30		
	Ch 195.00m to Ch 210.00m		1	27.00			1.40	0.30	11.34		
	Ch 210.00m to Ch 237.00m		1	15.00			1.40	0.30	6.30		
d)	Ch 0.00m to Ch 15.00m **(3rd main road) (W0194)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
Ch 135.00m to Ch 156.30m		1	21.30			1.40	0.30	8.95		
Ch 0.00m to Ch 15.00m **(4th main road) (W0200)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 70.00m		1	25.00			1.40	0.30	10.50		
Ch 0.00m to Ch 15.00m **(5th main road) (W0254)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
Ch 180.00m to Ch 195.00m		1	15.00			1.40	0.30	6.30		
Ch 195.00m to Ch 210.00m		1	15.00			1.40	0.30	6.30		
Ch 210.00m to Ch 225.00m		1	15.00			1.40	0.30	6.30		
Ch 225.00m to Ch 240.00m		1	15.00			1.40	0.30	6.30		
Ch 240.00m to Ch 255.00m		1	15.00			1.40	0.30	6.30		
Ch 255.00m to Ch 276.00m		1	21.00			1.40	0.30	8.82		
WAJID LAYOUT (W0264)										
Ch 0.00m to Ch 15.00m		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
Ch 180.00m to Ch 195.00m		1	15.00			1.40	0.30	6.30		
Ch 195.00m to Ch 210.00m		1	15.00			1.40	0.30	6.30		
Ch 210.00m to Ch 225.00m		1	15.00			1.40	0.30	6.30		
Ch 225.00m to Ch 240.00m		1	15.00			1.40	0.30	6.30		
Ch 240.00m to Ch 255.00m		1	15.00			1.40	0.30	6.30		
Ch 255.00m to Ch 270.00m		1	15.00			1.40	0.30	6.30		
Ch 00.00m to Ch 15.00m **(Bakery Road upto 8th cross Road)**		2	15.00			1.40	0.30	12.60		
Ch 15.00m to Ch 30.00m		2	15.00			1.40	0.30	12.60		
Ch 30.00m to Ch 45.00m		2	15.00			1.40	0.30	12.60		
Ch 45.00m to Ch 60.00m		2	15.00			1.40	0.30	12.60		
Ch 60.00m to Ch 75.00m		2	15.00			1.40	0.30	12.60		
Ch 75.00m to Ch 90.00m		2	15.00			1.40	0.30	12.60		
Ch 90.00m to Ch 105.00m		2	15.00			1.40	0.30	12.60		
Ch 105.00m to Ch 1120.00m		2	15.00			1.40	0.30	12.60		
Ch 120.00m to Ch 135.00m		2	15.00			1.40	0.30	12.60		
Ch 135.00m to Ch 150.00m		2	15.00			1.40	0.30	12.60		
Ch 150.00m to Ch 165.00m		2	15.00			1.40	0.30	12.60		
Ch 165.00m to Ch 180.00m		2	15.00			1.40	0.30	12.60		
Ch 180.00m to Ch 195.00m		2	15.00			1.40	0.30	12.60		
Ch 195.00m to Ch 210.00m		2	15.00			1.40	0.30	12.60		
Ch 210.00m to Ch 225.00m		2	15.00			1.40	0.30	12.60		
Ch 225.00m to Ch 240.00m		2	15.00			1.40	0.30	12.60		
Ch 240.00m to Ch 255.00m		2	15.00			1.40	0.30	12.60		
Ch 255.00m to Ch 270.00m		2	15.00			1.40	0.30	12.60		
Ch 270.00m to Ch 285.00m		2	15.00			1.40	0.30	12.60		
Ch 285.00m to Ch 300.00m		2	15.00			1.40	0.30	12.60		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
Ch 300.00m to Ch 315.00m		2	15.00			1.40	0.30	12.60		
Ch 315.00m to Ch 330.00m		2	15.00			1.40	0.30	12.60		
Ch 330.00m to Ch 345.00m		2	15.00			1.40	0.30	12.60		
Ch 345.00m to Ch 360.00m		2	15.00			1.40	0.30	12.60		
Ch 360.00m to Ch 375.00m		2	15.00			1.40	0.30	12.60		
Ch 375.00m to Ch 390.00m		2	15.00			1.40	0.30	12.60		
Ch 390.00m to Ch 405.00m		2	15.00			1.40	0.30	12.60		
Pipe line cut portion										
Dasarahalli extension										
Ch 00.00m to Ch 15.00m **(Main road) (W0300)**		1	15.00			1.20	0.30	5.40		
Ch 15.00m to Ch 30.00m		1	15.00			1.20	0.30	5.40		
Ch 30.00m to Ch 45.00m		1	15.00			1.20	0.30	5.40		
Ch 45.00m to Ch 60.00m		1	15.00			1.20	0.30	5.40		
Ch 60.00m to Ch 75.00m		1	15.00			1.20	0.30	5.40		
Ch 75.00m to Ch 90.00m		1	15.00			1.20	0.30	5.40		
Ch 90.00m to Ch 105.00m		1	15.00			1.20	0.30	5.40		
Ch 105.00m to Ch 120.00m		1	15.00			1.20	0.30	5.40		
Ch 120.00m to Ch 135.00m		1	15.00			1.20	0.30	5.40		
Ch 135.00m to Ch 150.00m		1	15.00			1.20	0.30	5.40		
Ch 00.00m to Ch 15.00m **(3rd cross road) (W0587)**		1	15.00			1.40	0.35	7.35		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.35	7.35		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.35	7.35		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.35	7.35		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.35	7.35		
Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.35	7.35		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.35	7.35		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.35	7.35		
Ch 120.00m to Ch 135.60m		1	15.60			1.40	0.35	7.64		
Ch 00.00m to Ch 15.00m **(Curve road) (W0316)**		1	15.00			1.40	0.35	7.35		
Ch 15.00m to Ch 26.30m		1	11.30			1.40	0.35	5.54		
Ch 00.00m to Ch 15.00m		1	15.00			1.40	0.35	7.35		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.35	7.35		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.35	7.35		
Ch 45.00m to Ch 65.00m		1	20.00			1.40	0.35	9.80		
Ch 00.00m to Ch 15.00m		1	15.00			1.40	0.35	7.35		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.35	7.35		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.35	7.35		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.35	7.35		
Ch 60.00m to Ch 69.30m		1	9.30			1.40	0.35	4.56		
Dasarahalli (Bhuvaneshwari nagar)										
Ch 00.00m to Ch 15.00m **(3rd cross road) (W0455)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
Ch 135.00m to Ch 156.90m		1	21.90			1.40	0.30	9.20		
Ch 00.00m to Ch 15.00m **(4th cross road) (W0461)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	12.00			1.40	0.30	5.04		
Ch 120.00m to Ch 132.00m		1	15.00			1.40	0.30	6.30		
Ch 00.00m to Ch 15.00m **(5th cross road) (W0465)**										

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

e To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
	Ch 120.00m to Ch 139.50m		1	19.50			1.40	0.30	8.19		
	Ch 00.00m to Ch 15.00m **(5th cross road continue)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
	Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
	Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
	Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
	Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
	Ch 180.00m to Ch 195.50m		1	15.50			1.40	0.30	6.51		
	Ch 00.00m to Ch 15.00m **(Brundhavan road) (W1108)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 123.00m		1	18.00			1.40	0.30	7.56		
	Vidyasagar roads LHS and RHS side										
	Ch 00.00m to Ch 15.00m **(1st main road LHS) (W1487)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 72.60m		1	12.60			1.40	0.30	5.29		
	Ch 00.00m to Ch 15.00m **(4th main road RHS) (L-shape road) (W1795)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 91.10m		1	16.10			1.40	0.30	6.76		
	Ch 00.00m to Ch 15.00m **(3rd main road RHS) (Hp school road) (W1779)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
	Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
	Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
	Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
	Ch 165.00m to Ch 182.40m		1	17.40			1.40	0.30	7.31		
	Ch 00.00m to Ch 15.00m **(2nd main road RHS) (W1773)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 68.10m		1	8.10			1.40	0.30	3.40		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 00.00m to Ch 5.80m (Approach)		1	5.80			1.40	0.30	2.44		
	Ch 00.00m to Ch 15.00m		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 80.50m		1	20.50			1.40	0.30	8.61		
	Ch 00.00m to Ch 15.00m **(2nd main road LHS) (W1771)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 51.30m		1	6.30			1.40	0.30	2.65		
	Thanisandra Mn road LHS										
	Ch 00.00m to Ch 15.00m **(Balon factory road) (W0992)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
	Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
	Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
	Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
	Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
	Ch 180.00m to Ch 195.00m		1	15.00			1.40	0.30	6.30		
	Ch 195.00m to Ch 210.00m		1	15.00			1.40	0.30	6.30		
	Ch 210.00m to Ch 225.00m		1	15.00			1.40	0.30	6.30		
	Ch 225.00m to Ch 240.00m		1	15.00			1.40	0.30	6.30		
	Ch 240.00m to Ch 255.00m		1	15.00			1.40	0.30	6.30		
	Ch 255.00m to Ch 270.00m		1	15.00			1.40	0.30	6.30		
	Ch 270.00m to Ch 285.00m		1	15.00			1.40	0.30	6.30		
	Ch 285.00m to Ch 300.00m		1	15.00			1.40	0.30	6.30		
	Ch 300.00m to Ch 315.00m		1	15.00			1.40	0.30	6.30		
	Ch 315.00m to Ch 330.00m		1	15.00			1.40	0.30	6.30		
	Ch 330.00m to Ch 345.00m		1	15.00			1.40	0.30	6.30		
	Ch 345.00m to Ch 360.00m		1	15.00			1.40	0.30	6.30		
	Ch 360.00m to Ch 375.00m		1	15.00			1.40	0.30	6.30		
	Ch 375.00m to Ch 390.00m		1	15.00			1.40	0.30	6.30		
	Ch 390.00m to Ch 405.00m		1	15.00			1.40	0.30	6.30		
	Ch 405.00m to Ch 420.00m		1	15.00			1.40	0.30	6.30		
	Ch 420.00m to Ch 435.00m		1	15.00			1.40	0.30	6.30		
	Ch 435.00m to Ch 448.40m		1	13.40			1.40	0.30	5.63		
	Saraipalya (Thanisanra Mn road RHS)										
	Ch 00.00m to Ch 15.00m **(Masjid road) (W1567)**		1	15.00			1.40	0.30	6.30		
	Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
	Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
	Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
	Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
	Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
	Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
	Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
	Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
	Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
	Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
	Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
	Ch 180.00m to Ch 195.00m		1	15.00			1.40	0.30	6.30		
	Ch 195.00m to Ch 210.00m		1	15.00			1.40	0.30	6.30		
	Ch 210.00m to Ch 225.00m		1	15.00			1.40	0.30	6.30		
	Ch 225.00m to Ch 240.00m		1	15.00			1.40	0.30	6.30		
	Ch 240.00m to Ch 255.00m		1	15.00			1.40	0.30	6.30		
	Ch 255.00m to Ch 270.00m		1	15.00			1.40	0.30	6.30		
	Ch 270.00m to Ch 285.00m		1	15.00			1.40	0.30	6.30		
	Ch 00.00m to Ch 15.00m **(Sawmill road) (W0992)**		2	15.00			1.40	0.30	12.60		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
Ch 15.00m to Ch 30.00m		2	15.00			1.40	0.35	14.70		
Ch 30.00m to Ch 45.00m		2	15.00			1.40	0.35	14.70		
Ch 45.00m to Ch 60.00m		2	15.00			1.40	0.35	14.70		
Ch 60.00m to Ch 70.70m		2	10.70			1.40	0.30	8.99		
Ch 00.00m to Ch 4.50m (Approach)		2	4.50			1.40	0.35	4.41		
Ch 70.70m to Ch 90.00m		2	19.30			1.40	0.35	18.91		
Ch 90.00m to Ch 105.00m		2	15.00			1.40	0.35	14.70		
Ch 105.00m to Ch 120.00m		2	15.00			1.40	0.35	14.70		
Ch 120.00m to Ch 135.00m		2	15.00			1.40	0.30	12.60		
Ch 135.00m to Ch 150.00m		2	15.00			1.40	0.30	12.60		
Ch 150.00m to Ch 165.00m		2	15.00			1.40	0.30	12.60		
Ch 165.00m to Ch 180.00m		2	15.00			1.40	0.30	12.60		
Ch 180.00m to Ch 195.00m		2	15.00			1.40	0.30	12.60		
Ch 195.00m to Ch 210.00m		2	15.00			1.40	0.30	12.60		
Ch 210.00m to Ch 225.00m		2	15.00			1.40	0.30	12.60		
Ch 225.00m to Ch 240.00m		2	15.00			1.40	0.30	12.60		
Ch 240.00m to Ch 255.00m		2	15.00			1.40	0.30	12.60		
Ch 255.00m to Ch 270.00m		2	15.00			1.40	0.30	12.60		
Ch 270.00m to Ch 285.00m		2	15.00			1.40	0.30	12.60		
Ch 285.00m to Ch 300.00m		2	15.00			1.40	0.30	12.60		
Ch 300.00m to Ch 315.00m		2	15.00			1.40	0.30	12.60		
Ch 315.00m to Ch 330.00m		2	15.00			1.40	0.30	12.60		
Ch 330.00m to Ch 345.00m		2	15.00			1.40	0.30	12.60		
Ch 345.00m to Ch 360.00m		2	15.00			1.40	0.30	12.60		
Ch 360.00m to Ch 375.00m		2	15.00			1.40	0.30	12.60		
Ch 375.00m to Ch 390.00m		2	15.00			1.40	0.30	12.60		
Ch 390.00m to Ch 400.80m		2	10.80			1.40	0.30	9.07		
Ch 00.00m to Ch 15.00m **(Sawmill road continue)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	10.70			1.40	0.30	4.49		
Ch 75.00m to Ch 90.00m		1	19.30			1.40	0.30	8.11		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
Ch 150.00m to Ch 165.00m		1	15.00			1.40	0 35	7.35		
Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
Ch 180.00m to Ch 187.20m		1	7.20			1.40	0.30	3.02		
Ch 00.00m to Ch 15.00m **(Rasool sab layout main road RHS) (W1176)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 33.30m		1	18.30			1.40	0.30	7.69		
Ch 00.00m to Ch 15.00m **(Rasool sab layout main road LHS) (W1176)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
Ch 180.00m to Ch 195.00m		1	15.00			1.40	0.30	6.30		
Ch 195.00m to Ch 213.30m		1	18.30			1.40	0.30	7.69		
Ch 00.00m to Ch 15.00m **(Army colony) (W1082)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
Ch 165.00m to Ch 178.00m		1	13.00			1.40	0.30	5.46		
Ch 00.00m to Ch 15.00m **(Gupta layout tar factory road) (W1827)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
Ch 75.00m to Ch 90.00m		1	15.00			1.40	0.30	6.30		
Ch 90.00m to Ch 105.00m		1	15.00			1.40	0.30	6.30		
Ch 105.00m to Ch 120.00m		1	15.00			1.40	0.30	6.30		
Ch 120.00m to Ch 135.00m		1	15.00			1.40	0.30	6.30		
Ch 135.00m to Ch 150.00m		1	15.00			1.40	0.30	6.30		
Ch 150.00m to Ch 165.00m		1	15.00			1.40	0.30	6.30		
Ch 165.00m to Ch 180.00m		1	15.00			1.40	0.30	6.30		
Ch 180.00m to Ch 195.00m		1	15.00			1.40	0.30	6.30		
Ch 195.00m to Ch 210.00m		1	15.00			1.40	0.30	6.30		
Ch 210.00m to Ch 225.20m		1	15.20			1.40	0.30	6.38		
Sawmill cross roads										
Ch 00.00m to Ch 15.00m **(7th cross LHS) (W1547)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 33.50m		1	18.50			1.40	0.30	7.77		
Ch 00.00m to Ch 15.00m **(9th cross RHS) (W1539)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 22.80m		1	7.80			1.40	0.30	3.28		
Ch 00.00m to Ch 15.00m **(4th cross RHS) (W1509)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 80.20m		1	20.20			1.40	0.30	8.48		
Ch 00.00m to Ch 15.00m **(3rd cross RHS) (W1507)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 64.30m		1	19.30			1.40	0.30	8.11		
Ch 00.00m to Ch 15.00m **(2nd cross RHS) (W1495)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 26.70m		1	11.70			1.40	0.30	4.91		
Ch 00.00m to Ch 15.00m **(1st sub cross LHS) (W1042)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 74.60m		1	14.60			1.40	0.30	6.13		
Ch 00.00m to Ch 15.00m **(2nd sub cross LHS) (W1038)**		1	15.00			1.40	0.30	6.30		
Ch 15.00m to Ch 30.00m		1	15.00			1.40	0.30	6.30		
Ch 30.00m to Ch 45.00m		1	15.00			1.40	0.30	6.30		
Ch 45.00m to Ch 60.00m		1	15.00			1.40	0.30	6.30		
Ch 60.00m to Ch 75.00m		1	15.00			1.40	0.30	6.30		
Ch 75.00m to Ch 84.40m		1	9.40			1.40	0.30	3.95		
Pipe line cut portion Rachenahalli										
Ch 00.00m to Ch 15.00m **(Rachenahalli main) (W0711)**		2	15.00			1.20	0.30	10.80		
Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.30	10.80		
Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.35	12.60		
Ch 45.00m to Ch 60.00m		2	15.00			1.15	0.30	10.35		
Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.30	10.35		
Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.35	12.60		
Ch 90.00m to Ch 105.00m		2	15.00			1.20	0.30	10.80		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

'o	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 105.00m to Ch 120.00m		2	15.00			1.15	0.30	10.35		
	Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.35	12.60		
	Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.30	10.35		
	Ch 150.00m to Ch 165.00m		2	15.00			1.20	0.30	10.80		
	Ch 165.00m to Ch 180.00m		2	15.00			1.10	0.35	11.55		
	Ch 180.00m to Ch 195.00m		2	15.00			1.20	0.30	10.80		
	Ch 195.00m to Ch 210.00m		2	15.00			1.20	0.30	10.80		
	Ch 210.00m to Ch 225.00m		2	15.00			1.25	0.35	13.13		
	Ch 225.00m to Ch 240.00m		2	15.00			1.20	0.35	12.60		
	Ch 240.00m to Ch 255.00m		2	15.00			1.25	0.30	11.25		
	Ch 255.00m to Ch 270.00m		2	15.00			1.20	0.30	10.80		
	Ch 270.00m to Ch 285.00m		2	15.00			1.15	0.30	10.35		
	Ch 285.00m to Ch 300.00m		2	15.00			1.15	0.25	8.63		
	Ch 300.00m to Ch 315.00m		2	15.00			1.20	0.35	12.60		
	Ch 315.00m to Ch 330.00m		2	15.00			1.20	0.30	10.80		
	Ch 330.00m to Ch 345.00m		2	15.00			1.20	0.30	10.80		
	Ch 345.00m to Ch 360.00m		2	15.00			1.15	0.35	12.08		
	Ch 360.00m to Ch 375.00m		2	15.00			1.10	0.35	11.55		
	Ch 375.00m to Ch 390.00m		2	15.00			1.25	0.30	11.25		
	Ch 390.00m to Ch 405.00m		2	15.00			1.20	0.30	10.80		
	Ch 405.00m to Ch 420.00m		2	15.00			1.20	0.30	10.80		
	Ch 420.00m to Ch 435.00m		2	15.00			1.20	0.30	10.80		
	Ch 435.00m to Ch 450.00m		2	15.00			1.10	0.35	11.55		
	Ch 450.00m to Ch 465.00m		2	15.00			1.10	0.30	9.90		
	Ch 465.00m to Ch 480.00m		2	15.00			1.20	0.30	10.80		
	Ch 480.00m to Ch 495.00m		2	15.00			1.25	0.35	13.13		
	Ch 495.00m to Ch 510.00m		2	15.00			1.25	0.30	11.25		
	Ch 510.00m to Ch 525.00m		2	15.00			1.20	0.30	10.80		
	Ch 525.00m to Ch 540.00m		2	15.00			1.20	0.35	12.60		
	Ch 540.00m to Ch 555.00m		2	15.00			1.20	0.30	10.80		
	Ch 555.00m to Ch 570.00m		2	15.00			1.20	0.30	10.80		
	Ch 570.00m to Ch 585.00m		2	15.00			1.10	0.35	11.55		
	Ch 585.00m to Ch 600.00m		2	15.00			1.15	0.30	10.35		
	Ch 600.00m to Ch 615.00m		2	15.00			1.15	0.30	10.35		
	Ch 615.00m to Ch 630.00m		2	15.00			1.20	0.35	12.60		
	Dasarahalli (Maruthi layout)										
	Ch 00.00m to Ch 15.00m **(7th A cross road) (W0531)**		2	15.00			1.20	0.30	10.80		
	Ch 15.00m to Ch 30.00m		2	15.00			1.15	0.30	10.35		
	Ch 30.00m to Ch 45.00m		2	15.00			1.15	0.35	12.08		
	Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
	Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.35	12.08		
	Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.30	10.80		
	Ch 90.00m to Ch 105.00m		2	15.00			1.15	0.30	10.35		
	Ch 105.00m to Ch 120.00m		2	15.00			1.10	0.35	11.55		
	Ch 120.00m to Ch 135.00m		2	15.00			1.10	0.35	11.55		
	Ch 135.00m to Ch 150.00m		2	15.00			1.20	0.30	10.80		
	Ch 150.00m to Ch 165.00m		2	15.00			1.20	0.30	10.80		
	Ch 165.00m to Ch 180.00m		2	15.00			1.15	0.35	12.08		
	Ch 180.00m to Ch 195.00m		2	15.00			1.20	0.35	12.60		
	Ch 195.00m to Ch 210.00m		2	15.00			1.15	0.30	10.35		
	Ch 210.00m to Ch 216.00m		2	6.00			1.20	0.30	4.32		
	Ch 00.00m to Ch 15.00m **(12th cross (RHS)) (W0495)**		2	15.00			1.15	0.30	10.35		
	Ch 15.00m to Ch 30.00m		2	15.00			1.15	0.35	12.08		
	Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.35	12.60		
	Ch 45.00m to Ch 60.00m		2	15.00			1.15	0.30	10.35		
	Ch 60.00m to Ch 75.00m		2	15.00			1.10	0.30	9.90		
	Ch 75.00m to Ch 90.00m		2	15.00			1.15	0.30	10.35		
	Ch 90.00m to Ch 105.00m		2	15.00			1.00	0.30	9.00		
	Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
	Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.35	12.60		
	Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.30	10.35		
	Ch 150.00m to Ch 165.00m		2	15.00			1.20	0.35	12.60		
	Ch 165.00m to Ch 180.00m		2	15.00			1.15	0.30	10.35		
	Ch 180.00m to Ch 195.00m		2	15.00			1.15	0.35	12.08		
	Ch 195.00m to Ch 210.00m		2	15.00			1.15	0.30	10.35		
	Ch 210.00m to Ch 225.00m		2	15.00			1.20	0.30	10.80		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

e To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 225.00m to Ch 240.00m		2	15.00			1.15	0.35	12.08		
	Ch 240.00m to Ch 255.00m		2	15.00			1.15	0.30	10.35		
	Ch 255.00m to Ch 270.00m		2	15.00			1.20	0.30	10.80		
	Ch 270.00m to Ch 285.00m		2	15.00			1.15	0.30	10.35		
	Ch 285.00m to Ch 300.00m		2	15.00			1.15	0.35	12.08		
	Ch 300.00m to Ch 315.00m		2	15.00			1.15	0.30	10.35		
	Ch 315.00m to Ch 330.00m		2	15.00			1.20	0.30	10.80		
	Ch 330.00m to Ch 345.00m		2	15.00			1.10	0.30	9.90		
	Ch 345.00m to Ch 360.00m		2	15.00			1.15	0.35	12.08		
	Ch 360.00m to Ch 375.00m		2	15.00			1.20	0.35	12.60		
	Ch 375.00m to Ch 390.00m		2	15.00			1.15	0.30	10.35		
	Ch 390.00m to Ch 405.00m		2	15.00			1.20	0.30	10.80		
	Ch 405.00m to Ch 420.00m		2	15.00			1.15	0.35	12.08		
	Ch 420.00m to Ch 442.00m		2	22.00			1.15	0.30	15.18		
	Ch 00.00m to Ch 15.00m **(13th cross) (RHS) (W0491)**		2	15.00			1.15	0.30	10.35		
	Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.35	12.60		
	Ch 30.00m to Ch 45.00m		2	15.00			1.15	0.30	10.35		
	Ch 45.00m to Ch 60.00m		2	15.00			1.15	0.30	10.35		
	Ch 60.00m to Ch 75.00m		2	15.00			1.20	0.35	12.60		
	Ch 75.00m to Ch 90.00m		2	15.00			1.15	0.30	10.35		
	Ch 90.00m to Ch 105.00m		2	15.00			1.15	0.35	12.08		
	Ch 105.00m to Ch 120.00m		2	15.00			1.10	0.30	9.90		
	Ch 120.00m to Ch 135.00m		2	15.00			1.10	0.30	9.90		
	Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.35	12.08		
	Ch 150.00m to Ch 165.00m		2	15.00			1.15	0.30	10.35		
	Ch 165.00m to Ch 180.00m		2	15.00			1.20	0.35	12.60		
	Ch 180.00m to Ch 195.00m		2	15.00			1.20	0.30	10.80		
	Ch 195.00m to Ch 210.00m		2	15.00			1.20	0.30	10.80		
	Ch 210.00m to Ch 225.00m		2	15.00			1.15	0.35	12.08		
	Ch 225.00m to Ch 240.00m		2	15.00			1.15	0.30	10.35		
	Ch 240.00m to Ch 255.00m		2	15.00			1.20	0.30	10.80		
	Ch 255.00m to Ch 268.80m		2	13.80			1.15	0.30	9.52		
	Main road RHS										
	Ch 00.00m to Ch 15.00m **(4th cross road) (W0971)**		2	15.00			1.20	0.30	10.80		
	Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.30	10.80		
	Ch 30.00m to Ch 45.00m		2	15.00			1.15	0.35	12.08		
	Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
	Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.35	12.08		
	Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.30	10.80		
	Ch 90.00m to Ch 105.00m		2	15.00			1.20	0.35	12.60		
	Ch 105.00m to Ch 123.70m		2	18.70			1.15	0.30	12.90		
	Ch 00.00m to Ch 15.00m **(5th cross road) (W0553)**		2	15.00			1.20	0.30	10.80		
	Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.30	10.80		
	Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.35	12.60		
	Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
	Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.30	10.35		
	Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.30	10.80		
	Ch 90.00m to Ch 105.00m		2	15.00			1.10	0.35	11.55		
	Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
	Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.30	10.80		
	Ch 135.00m to Ch 150.00m		2	15.00			1.20	0.30	10.80		
	Ch 150.00m to Ch 165.00m		2	15.00			1.15	0.35	12.08		
	Ch 165.00m to Ch 182.00m		2	17.00			1.20	0.35	14.28		
	Bhuvaneshwari nagara										
	Ch 00.00m to Ch 15.00m **(9th cross road) (W0479)**		2	15.00			1.15	0.30	10.35		
	Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.35	12.60		
	Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.30	10.80		
	Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
	Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.35	12.08		
	Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.35	12.60		
	Ch 90.00m to Ch 105.00m		2	15.00			1.10	0.30	9.90		
	Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
	Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.30	10.80		
	Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.35	12.08		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

e To	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	Ch 150.00m to Ch 165.00m		2	15.00			1.15	0.35	12.08		
	Ch 165.00m to Ch 180.00m		2	15.00			1.20	0.30	10.80		
	Ch 180.00m to Ch 195.00m		2	15.00			1.10	0.30	9.90		
	Ch 195.00m to Ch 210.00m		2	15.00			1.20	0.30	10.80		
	Ch 210.00m to Ch 225.00m		2	15.00			1.20	0.35	12.60		
	Ch 225.00m to Ch 240.00m		2	15.00			1.15	0.35	12.08		
	Ch 240.00m to Ch 255.00m		2	15.00			1.20	0.30	10.80		
	Ch 255.00m to Ch 263.00m		2	8.00			1.10	0.30	5.28		
	Ch 00.00m to Ch 15.00m **(6th cross road Continue) (W0471)**		2	15.00			1.20	0.35	12.60		
	Ch 15.00m to Ch 30.00m		2	15.00			1.15	0.35	12.08		
	Ch 30.00m to Ch 45.00m		2	15.00			1.20	0.30	10.80		
	Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.30	10.80		
	Ch 60.00m to Ch 75.00m		2	15.00			1.15	0.35	12.08		
	Ch 75.00m to Ch 90.00m		2	15.00			1.20	0.30	10.80		
	Ch 90.00m to Ch 105.00m		2	15.00			1.10	0.35	11.55		
	Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
	Ch 120.00m to Ch 135.00m		2	15.00			1.20	0.30	10.80		
	Ch 135.00m to Ch 150.00m		2	15.00			1.15	0.35	12.08		
	Ch 150.00m to Ch 165.00m		2	15.00			1.15	0.35	12.08		
	Ch 165.00m to Ch 180.00m		2	15.00			1.20	0.30	10.80		
	Ch 180.00m to Ch 195.00m		2	15.00			1.20	0.30	10.80		
	Ch 195.00m to Ch 210.00m		2	15.00			1.20	0.35	12.60		
	Ch 210.00m to Ch 225.00m		2	15.00			1.15	0.30	10.35		
	Ch 225.00m to Ch 240.00m		2	15.00			1.15	0.30	10.35		
	Ch 240.00m to Ch 258.50m		2	18.50			1.20	0.35	15.54		
	Ch 00.00m to Ch 15.00m **(7th cross road Continue) (W0475)**		2	15.00			1.20	0.30	10.80		
	Ch 15.00m to Ch 30.00m		2	15.00			1.15	0.30	10.35		
	Ch 30.00m to Ch 45.00m		2	15.00			1.15	0.30	10.35		
	Ch 45.00m to Ch 60.00m		2	15.00			1.20	0.35	12.60		
	Ch 60.00m to Ch 75.00m		2	15.00			1.10	0.35	11.55		
	Ch 75.00m to Ch 90.00m		2	15.00			1.10	0.30	9.90		
	Ch 90.00m to Ch 105.00m		2	15.00			1.20	0.30	10.80		
	Ch 105.00m to Ch 120.00m		2	15.00			1.25	0.30	11.25		
	Ch 120.00m to Ch 135.00m		2	15.00			1.25	0.35	13.13		
	Ch 135.00m to Ch 150.00m		2	15.00			1.20	0.30	10.80		
	Ch 150.00m to Ch 165.00m		2	15.00			1.20	0.30	10.80		
	Ch 165.00m to Ch 180.00m		2	15.00			1.20	0.35	12.60		
	Ch 180.00m to Ch 195.00m		2	15.00			1.15	0.30	10.35		
	Ch 195.00m to Ch 210.00m		2	15.00			1.15	0.30	10.35		
	Ch 210.00m to Ch 225.00m		2	15.00			1.20	0.30	10.80		
	Ch 225.00m to Ch 240.00m		2	15.00			1.20	0.35	12.60		
	Ch 240.00m to Ch 258.20m		2	18.20			1.15	0.30	12.56		
	Bhuvaneshwari nagara										
	Ch 00.00m to Ch 15.00m **(7th cross road)**		2	15.00			1.10	0.30	9.90		
	Ch 15.00m to Ch 30.00m		2	15.00			1.20	0.30	10.80		
	Ch 30.00m to Ch 45.00m		2	15.00			1.40	0.30	12.60		
	Ch 45.00m to Ch 60.00m		2	15.00			1.50	0.30	13.50		
	Ch 60.00m to Ch 75.00m		2	15.00			1.20	0.30	10.80		
	Ch 75.00m to Ch 90.00m		2	15.00			1.40	0.30	12.60		
	Ch 90.00m to Ch 105.00m		2	15.00			1.50	0.30	13.50		
	Ch 105.00m to Ch 120.00m		2	15.00			1.60	0.30	14.40		
	Ch 120.00m to Ch 126.00m		2	6.00			1.40	0.30	5.04		
	Ch 00.00m to Ch 15.00m **(6th cross road)**		2	15.00			1.20	0.30	10.80		
	Ch 15.00m to Ch 30.00m		2	15.00			1.30	0.30	11.70		
	Ch 30.00m to Ch 45.00m		2	15.00			1.40	0.30	12.60		
	Ch 45.00m to Ch 60.00m		2	15.00			1.50	0.30	13.50		
	Ch 60.00m to Ch 75.00m		2	15.00			1.20	0.30	10.80		
	Ch 75.00m to Ch 90.00m		2	15.00			1.40	0.30	12.60		
	Ch 90.00m to Ch 105.00m		2	15.00			1.10	0.30	9.90		
	Ch 105.00m to Ch 120.00m		2	15.00			1.20	0.30	10.80		
	Ch 120.00m to Ch 137.00m		2	17.00			1.30	0.30	13.26		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	petrol bunk opp side or main road RHS and LHS										
	Ch 00.00m to Ch 15.00m **(13th cross road)**		1	15.00			1.10	0.30	16.50		
	Ch 15.00m to Ch 30.00m		1	15.00			1.10	0.30	16.50		
	Ch 30.00m to Ch 40.00m		1	10.00			1.20	0.30	12.00		
	Ch 00.00m to Ch 15.00m **(12th cross road)**		1	15.00			1.40	0.30	21.00		
	Ch 15.00m to Ch 30.00m		1	15.00			1.20	0.30	18.00		
	Ch 30.00m to Ch 45.00m		1	15.00			1.30	0.30	19.50		
	Ch 45.00m to Ch 51.00m		2	6.00			1.20	0.30	14.40		
	Ch 00.00m to Ch 15.00m **(11th cross road)**		2	15.00			1.30	0.30	39.00		
	Ch 15.00m to Ch 30.00m		2	15.00			1.40	0.30	42.00		
	Ch 30.00m to Ch 45.00m		1	15.00			1.10	0.30	16.50		
	Ch 45.00m to Ch 60.00m		1	15.00			1.10	0.30	16.50		
	Ch 00.00m to Ch 15.00m **(10th cross road)**		2	15.00			1.10	0.30	33.00		
	Ch 15.00m to Ch 30.00m		1	15.00			1.10	0.30	16.50		
	Ch 30.00m to Ch 45.00m		2	15.00			1.10	0.30	33.00		
	Ch 45.00m to Ch 60.00m		1	15.00			1.10	0.30	16.50		
	Ch 60.00m to Ch 71.00m		1	11.00			1.10	0.30	12.10		
								Total Executed Quantity	**6026.56**	**900.00**	**5423904.00**
								Tender Quantity	**6026.94**		
2	KSRRB M400-17. Providing, laying, spreading and compacting cushed stone aggregates of granite / trap / basalt to wet mix macadam specifications including pre mixing the material with water at OMC in mechanical mix plant carriage of mixed materials by tipper to site, laying in uniform layers with paver in sub-base/base course on well prepared surface and compacting with vibratory roller to achieve the desired density complete as per specifications(P.No-155,I No-20.18)										
		Cum									
	RACHENAHALLI (BHAGYASHREE LAYOUT)										
a)	Ch 0.00m to Ch 15.00m **(Tempel road) (W0317)**		1	15.00			6.80	0.25	25.50		
	Ch 15.00m to Ch 30.00m		1	15.00			7.10	0.25	26.63		
	Ch 30.00m to Ch 45.00m		1	15.00			6.90	0.25	25.88		
	Ch 45.00m to Ch 60.00m		1	15.00			6.70	0.25	25.13		
	Ch 60.00m to Ch 75.00m		1	15.00			6.75	0.25	25.31		
	Ch 75.00m to Ch 90.00m		1	15.00			6.70	0.25	25.13		
	Ch 90.00m to Ch 105m		1	15.00			6.20	0.25	23.25		
	Ch 105.00m to Ch 120.00m		1	15.00			5.65	0.25	21.19		
	Ch 120.00m to Ch 135.00m		1	15.00			6.00	0.25	22.50		
	Ch 135.00m to Ch 150.00m		1	15.00			5.40	0.25	20.25		
	Ch 150.00m to Ch 169.60m		1	19.60			5.15	0.25	25.24		
b)	Ch 00.00m to Ch 15.00m**(2nd Main road)**		1	15.00			6.35	0.25	23.81		
	Ch 15.00m to Ch 30.00m		1	15.00			9.25	0.25	34.69		
	Ch 30.00m to Ch 45.00m		1	15.00			8.60	0.25	32.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.05	0.25	18.94		
	Ch 60.00m to Ch 75.00m		1	15.00			4.95	0.25	18.56		
	Ch 75.00m to Ch 90.00m		1	15.00			5.10	0.25	19.13		
	Ch 90.00m to Ch 105.00m		1	15.00			5.05	0.25	18.94		
	Ch 105.00m to Ch 120.00m		1	15.00			6.30	0.25	23.63		
	Ch 120.00m to Ch 128.20m		1	8.20			7.00	0.25	14.35		
	Approuch		1	7.60			6.30	0.25	11.97		
c)	Ch 0.00m to Ch 15.00m **(1st cross road RHS) (W0699)**		1	15.00			6.10	0.25	22.88		
	Ch 15.00m to Ch 30.00m		1	15.00			6.10	0.25	22.88		
	Ch 30.00m to Ch 45.00m		1	15.00			6.00	0.25	22.50		
	Ch 45.00m to Ch 60.00m		1	15.00			5.50	0.25	20.63		
	Ch 60.00m to Ch 87.20m		1	27.20			5.50	0.25	37.40		
d)	Ch 0.00m to Ch 15.00m **(1st main road upto green pole) (W0460)**		1	15.00			5.80	0.20	17.40		
	Ch 15.00m to Ch 30.00m		1	15.00			5.70	0.20	17.10		
	Ch 30.00m to Ch 45.00m		1	15.00			6.15	0.20	18.45		
	Ch 45.00m to Ch 60.00m		1	15.00			6.55	0.20	19.65		
	Ch 60.00m to Ch 75.00m		1	15.00			6.40	0.20	19.20		
	Ch 75.00m to Ch 90.00m		1	15.00			6.30	0.20	18.90		
	Ch 90.00m to Ch 105.00m		1	15.00			6.40	0.20	19.20		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length	Breadth			Depth	Quantity	Rate in	Amount in
o				(m)	B1	B2	Avg B	(m)		RS.	RS.
	Ch 105.00m to Ch 120.00m		1	15.00			6.20	0.20	18.60		
	Ch 120.00m to Ch 137.40m		1	17.40			5.90	0.20	20.53		
)	Ch 00.00m to Ch 15.00m **(2nd cross road LHS) (W0669)**		1	15.00			4.75	0.20	14.25		
	Ch 15.00m to Ch 30.00m		1	15.00			5.00	0.20	15.00		
	Ch 30.00m to Ch 45.00m		1	15.00			5.25	0.20	15.75		
	Ch 45.00m to Ch 60.00m		1	15.00			5.35	0.20	16.05		
	Ch 60.00m to Ch 75.00m		1	15.00			4.90	0.20	14.70		
	Ch 75.00m to Ch 90.00m		1	15.00			4.65	0.20	13.95		
	Ch 90.00m to Ch 114.40m		1	24.40			4.95	0.20	24.16		
f)	Ch 00.00m to Ch 15.00m**(1st cross road LHS) (W0685)**		1	15.00			5.35	0.25	20.06		
	Ch 15.00m to Ch 30.00m		1	15.00			4.85	0.25	18.19		
	Ch 30.00m to Ch 45.00m		1	15.00			4.70	0.25	17.63		
	Ch 45.00m to Ch 60.00m		1	15.00			4.75	0.25	17.81		
	Ch 60.00m to Ch 75.00m		1	15.00			4.50	0.25	16.88		
	Ch 75.00m to Ch 90.00m		1	15.00			4.55	0.25	17.06		
	Ch 90.00m to Ch 105.00m		1	15.00			4.80	0.25	18.00		
	Ch 105.00m to Ch 115.40m		1	10.40			5.05	0.25	13.13		
g)	Ch 0.00m to Ch 15.00m **(4th cross road RHS) (W0669)**		1	15.00			5.45	0.25	20.44		
	Ch 15.00m to Ch 30.00m		1	15.00			5.55	0.25	20.81		
	Ch 30.00m to Ch 45.00m		1	15.00			5.45	0.25	20.44		
	Ch 45.00m to Ch 60.00m		1	15.00			5.00	0.25	18.75		
	Ch 60.00m to Ch 78.90m		1	18.90			5.25	0.25	24.81		
h)	Ch 0.00m to Ch 15.00m **(3rd cross road RHS) (W0683)**		1	15.00			6.00	0.25	22.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.65	0.25	21.19		
	Ch 30.00m to Ch 45.00m		1	15.00			6.15	0.25	23.06		
	Ch 45.00m to Ch 60.00m		1	15.00			6.05	0.25	22.69		
	Ch 60.00m to Ch 75.00m		1	15.00			5.80	0.25	21.75		
	Ch 75.00m to Ch 90.00m		1	15.00			5.95	0.25	22.31		
	Ch 90.00m to Ch 100.00m		1	10.00			5.90	0.25	14.75		
i)	Ch 00.00m to Ch 15.00m**(2nd cross road RHS) (W0691)**		1	15.00			6.05	0.25	22.69		
	Ch 15.00m to Ch 30.00m		1	15.00			5.55	0.25	20.81		
	Ch 30.00m to Ch 45.00m		1	15.00			5.55	0.25	20.81		
	Ch 45.00m to Ch 60.00m		1	15.00			5.60	0.25	21.00		
	Ch 60.00m to Ch 75.00m		1	15.00			5.15	0.25	19.31		
	Ch 75.00m to Ch 90.00m		1	15.00			5.60	0.25	21.00		
	Ch 90.00m to Ch 108.80m		1	18.80			5.95	0.25	27.97		
j)	Ch 00.00m to Ch 15.00m **(Durgamba Road)**		1	15.00			5.20	0.20	15.60		
	Ch 15.00m to Ch 30.00m		1	15.00			5.50	0.20	16.50		
	Ch 30.00m to Ch 45.00m		1	15.00			4.70	0.20	14.10		
	Ch 45.00m to Ch 60.00m		1	15.00			4.90	0.20	14.70		
	Ch 60.00m to Ch 75.00m		1	15.00			4.80	0.20	14.40		
	Ch 75.00m to Ch 90.00m		1	15.00			5.00	0.20	15.00		
	Ch 90.00m to Ch 105.00m		1	15.00			4.90	0.20	14.70		
	Ch 105.00m to Ch 120.00m		1	15.00			4.90	0.20	14.70		
	Ch 120.00m to Ch 135.00m		1	15.00			4.90	0.20	14.70		
	Ch 135.00m to Ch 150.00m		1	15.00			5.40	0.20	16.20		
	Ch 150.00m to Ch 162.00m		1	12.00			5.50	0.20	13.20		
	Ch 90.00m to Ch 108.80m		1	18.80			5.95	0.20	22.37		
k)	Ch 00.00m to Ch 15.00m **(Bakery Road upto 8th cross Road)**		1	15.00			8.30	0.20	24.90		
	Ch 15.00m to Ch 30.00m		1	15.00			8.60	0.20	25.80		
	Ch 30.00m to Ch 45.00m		1	15.00			8.50	0.20	25.50		
	Ch 45.00m to Ch 60.00m		1	15.00			8.70	0.20	26.10		
	Ch 60.00m to Ch 75.00m		1	15.00			8.50	0.20	25.50		
	Ch 75.00m to Ch 90.00m		1	15.00			8.60	0.20	25.80		
	Ch 90.00m to Ch 105.00m		1	15.00			8.90	0.20	26.70		
	Ch 105.00m to Ch 1120.00m		1	15.00			9.00	0.20	27.00		
	Ch 120.00m to Ch 135.00m		1	15.00			9.20	0.20	27.60		
	Ch 135.00m to Ch 150.00m		1	15.00			9.30	0.20	27.90		
	Ch 150.00m to Ch 165.00m		1	15.00			8.20	0.20	24.60		
	Ch 165.00m to Ch 180.00m		1	15.00			8.40	0.20	25.20		
	Ch 180.00m to Ch 195.00m		1	15.00			8.50	0.20	25.50		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
Ch 105.00m to Ch 120.00m		1	15.00			6.20	0.20	18.60		
Ch 120.00m to Ch 137.40m		1	17.40			5.90	0.20	20.53		
Ch 00.00m to Ch 15.00m **(2nd cross road LHS) (W0669)**		1	15.00			4.75	0.20	14.25		
Ch 15.00m to Ch 30.00m		1	15.00			5.00	0.20	15.00		
Ch 30.00m to Ch 45.00m		1	15.00			5.25	0.20	15.75		
Ch 45.00m to Ch 60.00m		1	15.00			5.35	0.20	16.05		
Ch 60.00m to Ch 75.00m		1	15.00			4.90	0.20	14.70		
Ch 75.00m to Ch 90.00m		1	15.00			4.65	0.20	13.95		
Ch 90.00m to Ch 114.40m		1	24.40			4.95	0.20	24.16		
Ch 00.00m to Ch 15.00m**(1st cross road LHS) (W0685)**		1	15.00			5.35	0.25	20.06		
Ch 15.00m to Ch 30.00m		1	15.00			4.85	0.25	18.19		
Ch 30.00m to Ch 45.00m		1	15.00			4.70	0.25	17.63		
Ch 45.00m to Ch 60.00m		1	15.00			4.75	0.25	17.81		
Ch 60.00m to Ch 75.00m		1	15.00			4.50	0.25	16.88		
Ch 75.00m to Ch 90.00m		1	15.00			4.55	0.25	17.06		
Ch 90.00m to Ch 105.00m		1	15.00			4.80	0.25	18.00		
Ch 105.00m to Ch 115.40m		1	10.40			5.05	0.25	13.13		
Ch 0.00m to Ch 15.00m **(4th cross road RHS) (W0669)**		1	15.00			5.45	0.25	20.44		
Ch 15.00m to Ch 30.00m		1	15.00			5.55	0.25	20.81		
Ch 30.00m to Ch 45.00m		1	15.00			5.45	0.25	20.44		
Ch 45.00m to Ch 60.00m		1	15.00			5.00	0.25	18.75		
Ch 60.00m to Ch 78.90m		1	18.90			5.25	0.25	24.81		
Ch 0.00m to Ch 15.00m **(3rd cross road RHS) (W0683)**		1	15.00			6.00	0.25	22.50		
Ch 15.00m to Ch 30.00m		1	15.00			5.65	0.25	21.19		
Ch 30.00m to Ch 45.00m		1	15.00			6.15	0.25	23.06		
Ch 45.00m to Ch 60.00m		1	15.00			6.05	0.25	22.69		
Ch 60.00m to Ch 75.00m		1	15.00			5.80	0.25	21.75		
Ch 75.00m to Ch 90.00m		1	15.00			5.95	0.25	22.31		
Ch 90.00m to Ch 100.00m		1	10.00			5.90	0.25	14.75		
Ch 00.00m to Ch 15.00m**(2nd cross road RHS) (W0691)**		1	15.00			6.05	0.25	22.69		
Ch 15.00m to Ch 30.00m		1	15.00			5.55	0.25	20.81		
Ch 30.00m to Ch 45.00m		1	15.00			5.55	0.25	20.81		
Ch 45.00m to Ch 60.00m		1	15.00			5.60	0.25	21.00		
Ch 60.00m to Ch 75.00m		1	15.00			5.15	0.25	19.31		
Ch 75.00m to Ch 90.00m		1	15.00			5.60	0.25	21.00		
Ch 90.00m to Ch 108.80m		1	18.80			5.95	0.25	27.97		
Ch 00.00m to Ch 15.00m **(Durgamba Road)**		1	15.00			5.20	0.20	15.60		
Ch 15.00m to Ch 30.00m		1	15.00			5.50	0.20	16.50		
Ch 30.00m to Ch 45.00m		1	15.00			4.70	0.20	14.10		
Ch 45.00m to Ch 60.00m		1	15.00			4.90	0.20	14.70		
Ch 60.00m to Ch 75.00m		1	15.00			4.80	0.20	14.40		
Ch 75.00m to Ch 90.00m		1	15.00			5.00	0.20	15.00		
Ch 90.00m to Ch 105.00m		1	15.00			4.90	0.20	14.70		
Ch 105.00m to Ch 120.00m		1	15.00			4.90	0.20	14.70		
Ch 120.00m to Ch 135.00m		1	15.00			4.90	0.20	14.70		
Ch 135.00m to Ch 150.00m		1	15.00			5.40	0.20	16.20		
Ch 150.00m to Ch 162.00m		1	12.00			5.50	0.20	13.20		
Ch 90.00m to Ch 108.80m		1	18.80			5.95	0.20	22.37		
Ch 00.00m to Ch 15.00m **(Bakery Road upto 8th cross Road)**		1	15.00			8.30	0.20	24.90		
Ch 15.00m to Ch 30.00m		1	15.00			8.60	0.20	25.80		
Ch 30.00m to Ch 45.00m		1	15.00			8.50	0.20	25.50		
Ch 45.00m to Ch 60.00m		1	15.00			8.70	0.20	26.10		
Ch 60.00m to Ch 75.00m		1	15.00			8.50	0.20	25.50		
Ch 75.00m to Ch 90.00m		1	15.00			8.60	0.20	25.80		
Ch 90.00m to Ch 105.00m		1	15.00			8.90	0.20	26.70		
Ch 105.00m to Ch 1120.00m		1	15.00			9.00	0.20	27.00		
Ch 120.00m to Ch 135.00m		1	15.00			9.20	0.20	27.60		
Ch 135.00m to Ch 150.00m		1	15.00			9.30	0.20	27.90		
Ch 150.00m to Ch 165.00m		1	15.00			8.20	0.20	24.60		
Ch 165.00m to Ch 180.00m		1	15.00			8.40	0.20	25.20		
Ch 180.00m to Ch 195.00m		1	15.00			8.50	0.20	25.50		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE										
Description of Item	Unit	No	Length	Breadth			Depth	Quantity	Rate in	Amount in
			(m)	B1	B2	Avg B	(m)		RS.	RS.
h 195.00m to Ch 210.00m		1	15.00			8.60	0.20	25.80		
h 210.00m to Ch 225.00m		1	15.00			8.50	0.20	25.50		
h 225.00m to Ch 240.00m		1	15.00			8.50	0.20	25.50		
h 240.00m to Ch 255.00m		1	15.00			9.60	0.20	28.80		
h 255.00m to Ch 270.00m		1	15.00			9.80	0.20	29.40		
h 270.00m to Ch 285.00m		1	15.00			6.50	0.20	19.50		
h 285.00m to Ch 300.00m		1	15.00			6.60	0.20	19.80		
h 300.00m to Ch 315.00m		1	15.00			6.70	0.20	20.10		
h 315.00m to Ch 330.00m		1	15.00			6.90	0.20	20.70		
h 330.00m to Ch 345.00m		1	15.00			7.20	0.20	21.60		
h 345.00m to Ch 360.00m		1	15.00			7.30	0.20	21.90		
h 360.00m to Ch 375.00m		1	15.00			6.40	0.20	19.20		
h 375.00m to Ch 390.00m		1	15.00			6.60	0.20	19.80		
h 390.00m to Ch 405.00m		1	15.00			6.70	0.20	20.10		
RAILWAY MEN LAYOUT								0.00		
Ch 00.00m to Ch 15.00m**(1st main road) (W0188)**		1	15.00			6.80	0.20	20.40		
Ch 15.00m to Ch 30.00m		1	15.00			6.25	0.20	18.75		
Ch 30.00m to Ch 45.00m		1	15.00			5.55	0.20	16.65		
Ch 45.00m to Ch 60.00m		1	15.00			5.50	0.20	16.50		
Ch 60.00m to Ch 75.00m		1	15.00			5.25	0.20	15.75		
Ch 75.00m to Ch 90.00m		1	15.00			5.05	0.20	15.15		
Ch 90.00m to Ch 110.00m		1	20.00			5.05	0.20	20.20		
Ch 0.00m to Ch 15.00m **(1st Sub Cross Rd)**		1	15.00			5.80	0.20	17.40		
Ch 15.00m to Ch 31.20m		1	16.20			5.80	0.20	18.79		
Ch 0.00m to Ch 15.00m **(2nd main road) (W0190)**		1	15.00			5.00	0.20	15.00		
Ch 15.00m to Ch 30.00m		1	15.00			5.40	0.20	16.20		
Ch 30.00m to Ch 45.00m		1	15.00			5.90	0.20	17.70		
Ch 45.00m to Ch 60.00m		1	15.00			6.25	0.20	18.75		
Ch 60.00m to Ch 75.00m		1	15.00			5.85	0.20	17.55		
Ch 75.00m to Ch 90.00m		1	15.00			5.35	0.20	16.05		
Ch 90.00m to Ch 105.00m		1	15.00			5.90	0.20	17.70		
Ch 105.00m to Ch 120.00m		1	15.00			6.60	0.20	19.80		
Ch 120.00m to Ch 135.00m		1	15.00			6.60	0.20	19.80		
Ch 135.00m to Ch 150.00m		1	15.00			6.45	0.20	19.35		
Ch 150.00m to Ch 165.00m		1	15.00			6.65	0.20	19.95		
Ch 165.00m to Ch 180.00m		1	15.00			6.85	0.20	20.55		
Ch 180.00m to Ch 195.00m		1	15.00			6.70	0.20	20.10		
Ch 195.00m to Ch 210.00m		1	15.00			6.30	0.20	18.90		
Ch 210.00m to Ch 237.00m		1	27.00			6.05	0.20	32.67		
Ch 0.00m to Ch 15.00m **(3rd main road) (W0194)**		1	15.00			6.30	0.20	18.90		
Ch 15.00m to Ch 30.00m		1	15.00			6.45	0.20	19.35		
Ch 30.00m to Ch 45.00m		1	15.00			6.55	0.20	19.65		
Ch 45.00m to Ch 60.00m		1	15.00			6.55	0.20	19.65		
Ch 60.00m to Ch 75.00m		1	15.00			6.70	0.20	20.10		
Ch 75.00m to Ch 90.00m		1	15.00			6.85	0.20	20.55		
Ch 90.00m to Ch 105.00m		1	15.00			6.85	0.20	20.55		
Ch 105.00m to Ch 120.00m		1	15.00			6.80	0.20	20.40		
Ch 120.00m to Ch 135.00m		1	15.00			6.60	0.20	19.80		
Ch 135.00m to Ch 156.30m		1	21.30			6.20	0.20	26.41		
Ch 0.00m to Ch 15.00m **(4th main road) (W0200)**		1	15.00			6.40	0.20	19.20		
Ch 15.00m to Ch 30.00m		1	15.00			6.55	0.20	19.65		
Ch 30.00m to Ch 45.00m		1	15.00			6.70	0.20	20.10		
Ch 45.00m to Ch 70.00m		1	25.00			6.80	0.20	34.00		
Ch 0.00m to Ch 15.00m **(5th main road) (W0254)**		1	15.00			7.10	0.20	21.30		
Ch 15.00m to Ch 30.00m		1	15.00			6.75	0.20	20.25		
Ch 30.00m to Ch 45.00m		1	15.00			6.25	0.20	18.75		
Ch 45.00m to Ch 60.00m		1	15.00			6.45	0.20	19.35		
Ch 60.00m to Ch 75.00m		1	15.00			6.85	0.20	20.55		
Ch 75.00m to Ch 90.00m		1	15.00			6.80	0.20	20.40		
Ch 90.00m to Ch 105.00m		1	15.00			6.75	0.20	20.25		
Ch 105.00m to Ch 120.00m		1	15.00			6.45	0.20	19.35		
Ch 120.00m to Ch 135.00m		1	15.00			6.05	0.20	18.15		

Scanned by TapScanner

Scanned by TapScanner

MODIFIED ESTIMATE

	Description of Item	Unit	No	Length (m)	Breadth B1	Breadth B2	Breadth Avg B	Depth (m)	Quantity	Rate in RS.	Amount in RS.
	h 135.00m to Ch 150.00m		1	15.00			5.85	0.20	17.55		
	h 150.00m to Ch 165.00m		1	15.00			5.85	0.20	17.55		
	h 165.00m to Ch 180.00m		1	15.00			5.70	0.20	17.10		
	h 180.00m to Ch 195.00m		1	15.00			5.55	0.20	16.65		
	h 195.00m to Ch 210.00m		1	15.00			5.45	0.20	16.35		
	h 210.00m to Ch 225.00m		1	15.00			5.20	0.20	15.60		
	h 225.00m to Ch 240.00m		1	15.00			4.95	0.20	14.85		
	h 240.00m to Ch 255.00m		1	15.00			4.85	0.20	14.55		
	h 255.00m to Ch 276.00m		1	21.00			4.65	0.20	19.53		
	VAJID LAYOUT (W0264)								0.00		
	Ch 0.00m to Ch 15.00m		1	15.00			7.10	0.20	21.30		
	Ch 15.00m to Ch 30.00m		1	15.00			6.60	0.20	19.80		
	Ch 30.00m to Ch 45.00m		1	15.00			6.30	0.20	18.90		
	Ch 45.00m to Ch 60.00m		1	15.00			6.60	0.20	19.80		
	Ch 60.00m to Ch 75.00m		1	15.00			6.90	0.20	20.70		
	Ch 75.00m to Ch 90.00m		1	15.00			7.10	0.20	21.30		
	Ch 90.00m to Ch 105.00m		1	15.00			7.15	0.20	21.45		
	Ch 105.00m to Ch 120.00m		1	15.00			7.10	0.20	21.30		
	Ch 120.00m to Ch 135.00m		1	15.00			7.15	0.20	21.45		
	Ch 135.00m to Ch 150.00m		1	15.00			7.05	0.20	21.15		
	Ch 150.00m to Ch 165.00m		1	15.00			6.95	0.20	20.85		
	Ch 165.00m to Ch 180.00m		1	15.00			6.80	0.20	20.40		
	Ch 180.00m to Ch 195.00m		1	15.00			6.65	0.20	19.95		
	Ch 195.00m to Ch 210.00m		1	15.00			6.25	0.20	18.75		
	Ch 210.00m to Ch 225.00m		1	15.00			5.75	0.20	17.25		
	Ch 225.00m to Ch 240.00m		1	15.00			6.05	0.20	18.15		
	Ch 240.00m to Ch 255.00m		1	15.00			6.35	0.20	19.05		
	Ch 255.00m to Ch 270.00m		1	15.00			6.30	0.20	18.90		
	RACHENAHALLI (ANJANADRI LAYOUT)								0.00		
	Ch 0.00m to Ch 15.00m **(1st cross road LHS & RHS) (W1189)**		1	15.00			4.25	0.20	12.75		
	Ch 15.00m to Ch 30.00m		1	15.00			4.60	0.20	13.80		
	Ch 30.00m to Ch 45.00m		1	15.00			4.50	0.20	13.50		
	Ch 45.00m to Ch 60.00m		1	15.00			4.30	0.20	12.90		
	Ch 60.00m to Ch 75.00m		1	15.00			4.70	0.20	14.10		
	Ch 75.00m to Ch 90.00m		1	15.00			4.45	0.20	13.35		
	Ch 90.00m to Ch 102.70m		1	12.70			3.90	0.20	9.91		
	Ch 0.00m to Ch 15.00m **(2nd cross road LHS) (W1179)**		1	15.00			4.10	0.20	12.30		
	Ch 15.00m to Ch 30.00m		1	15.00			4.25	0.20	12.75		
	Ch 30.00m to Ch 45.00m		1	15.00			4.55	0.20	13.65		
	Ch 45.00m to Ch 68.40m		1	23.40			4.55	0.20	21.29		
	Ch 0.00m to Ch 15.00m **(2nd cross road RHS)**		1	15.00			4.15	0.20	12.45		
	Ch 15.00m to Ch 30.00m		1	15.00			4.50	0.20	13.50		
	Ch 30.00m to Ch 40.20m		1	10.20			4.65	0.20	9.49		
)	Ch 0.00m to Ch 15.00m **(3rd cross road LHS) (W1169)**		1	15.00			4.85	0.20	14.55		
	Ch 15.00m to Ch 30.00m		1	15.00			4.75	0.20	14.25		
	Ch 30.00m to Ch 45.00m		1	15.00			4.80	0.20	14.40		
	Ch 45.00m to Ch 60.00m		1	15.00			4.70	0.20	14.10		
	Ch 60.00m to Ch 72.60m		1	12.60			4.75	0.20	11.97		
e)	Ch 0.00m to Ch 15.00m **(3rd cross road RHS)**		1	15.00			5.50	0.20	16.50		
	Ch 15.00m to Ch 30.00m		1	15.00			5.10	0.20	15.30		
	Ch 30.00m to Ch 37.00m		1	7.00			4.80	0.20	6.72		
f)	Ch 0.00m to Ch 15.00m **(4th cross road LHS) (W1159)**		1	15.00			4.80	0.20	14.40		
	Ch 15.00m to Ch 30.00m		1	15.00			4.80	0.20	14.40		
	Ch 30.00m to Ch 45.00m		1	15.00			4.75	0.20	14.25		
	Ch 45.00m to Ch 60.00m		1	15.00			5.10	0.20	15.30		
	Ch 60.00m to Ch 72.40m		1	12.40			4.90	0.20	12.15		
g)	Ch 0.00m to Ch 15.00m **(4th cross road RHS)**		1	15.00			4.60	0.20	13.80		
	Ch 15.00m to Ch 30.00m		1	15.00			4.80	0.20	14.40		
	Ch 30.00m to Ch 42.00m		1	12.00			3.95	0.20	9.48		

Scanned by TapScanner

Scanned by TapScanner